

Hydrogen Atom of KH_2AsO_4 Determined by Neutron Diffraction Study. Errata

Tatsuki MIYOSHI*, Tomoshi AKIMOTO, and Hiroyuki MASHIYAMA

Faculty of Science, Yamaguchi University, Yamaguchi 753-8512, Japan

* Present address: Rigaku Corporation, Akishima, Tokyo 196-8666, Japan

In the first line of the fourth paragraph, and in captions of Figs 1 and 2, P should be read as As. The label P in Figs 1 and 2 should also be read as As.

The correct figures are followings.




Fig. 1. (Color online) Atomic density distribution of KDA estimated by PRIMA. The isosurfaces of nuclear density level 5 are drawn using VESTA. The inset shows displacement ellipsoids and As-O and O-H bonds. The superscript a of O^a denotes symmetry codes of $x, 1/2 - y, 1/4 - z$.




Fig. 2. (Color online) Contour map of As and K at $z = 0$, and O and H at $z = 0.125$. Contour lines are drawn every 5 level steps between -30 to 50; the broken lines for H are negative levels. The map range is $-0.1 < x, y < 0.6$. The superscripts a and b of O^a and K^b denote symmetry codes of $x, 1/2 - y, 1/4 - z$ and $1/2 + x, 1/2 + y, z - 1/2$, respectively.